Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



The Goldsmiths' Company - Assay Office

Goldsmiths' Hall Contact: Will Evans

Gutter Lane E-Mail: admin@londonassayoffice.co.uk
London Website: www.thegoldsmiths.co.uk

EC2V 8AQ

Accredited to ISO/IEC 17025: 2017

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address Goldsmiths' Hall Gutter Lane London EC2V 8AQ	Local contact Will Evans Email: admin@londonassayoffice.co.uk Website: www.thegoldsmiths.co.uk	Materials Sampling and Analysis	А
Address London Assay Office 17 Greville Street Hatton Garden London	Local contact Will Evans Email: admin@londonassayoffice.co.uk Website: www.thegoldsmiths.co.uk	Metals Sampling and Analysis	В
Address Unit 7 Radius Park Faggs Road Feltham Middlesex TW14 0NG	Local contact Will Evans Email: admin@londonassayoffice.co.uk Website: www.thegoldsmiths.co.uk	Metals Sampling and Analysis	С
Address 3-5 Dunn Street Dalston London E8 2DG	Local contact Will Evans Email: admin@londonassayoffice.co.uk Website: www.thegoldsmiths.co.uk	Metals Sampling and Analysis	D

Assessment Manager DP1 Page 1 of 2



0858 Accredited to ISO/IEC 17025:2017

Schedule of Accreditation issued by

United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Goldsmiths' Company - Assay Office

Issue date: 02 September 2021 Issue No: 022

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code	
PRECIOUS METALS and ALLOYS	Testing for the purpose of Hallmarking Gold, Platinum, Silver, Palladium	Documented In-House Method using: X-ray Fluorescence Spectrometry	A, B, C, D, E	
END				

Assessment Manager: DP1 Page 2 of 2